

ECOPATH with ECOSIM References

- Alcaraz, M., M. Saiz, A. Calbet, I. Trepat and E. Broglio. 2003. Estimating zooplankton biomass through image analysis. *Marine Biology* 143: 307-315.
- Bessel-Browne, P. et al 2014. *Coscinaraea marshae* corals that have survived prolonged bleaching exhibit signs of increased heterotrophic feeding. *Coral Reefs*, 3
- Blake, S. I. Dapson, O. Auge, A. Bowles, E. Marohn, L. Malatzky and S. Granger. 2011. Monitoring of humpback whales in the Pender Bay, Kimberley region, Western Australia. *Journal of the royal Society of Western Australia* 94: 393-405.
- Blondeau-Patissier, D., A. Dekker., T. Schroeder, V. Brando. 2011. Phytoplankton dynamics in shelf waters around Australia. CSIRO Land and Water Report for the Department of sustainability, Environment, Water, Population and Communities. 47p.
- Boyle, M.C. and Limpus, C.J. 2008. The stomach content of post hatchling green and loggerhead sea turtles in the southwest Pacific: an insight into habitat association. *Marine Biology* 155: 233-241
- Brown, A., Pollock, K., Bejder, L. and Allen, S. (2013) Distribution and abundance of tropical inshore dolphins in Cygnet Bay, Western Australia. In: 20th Biennial Conference on the Biology of Marine Mammals, 9 - 13 December, Dunedin, New Zealand.
- Bulman, C. 2006. Trophic webs and modelling of Australia's North West Shelf. North West shelf joint environmental Management Study. Technical Report 9. CSIRO. Australia.
- Bustamante, R.H., C. Dichmont, N. Ellis, S. Griffiths, W.A. Rochester, M.Burford, Peter Rothlisberg, Q. Dell, M. Tonks., H. Lozano-Montes, R. Deng, T. Wassenberg, A. Revill, J. Salini, G. Fry, S. Tickell, R. Pascual, F. Smith, E. Morello, T. van der Velde, C. Moeseneder, S. Cheers, A. Donovan and T. Taranto.2010. Effects of trawling on the benthos and biodiversity: Development and delivery of a Spatially-explicit Management Framework for the Northern Prawn Fishery. Final Report FRDC Project no. 2005/050
- Burger, A.E. 2001. Diving Depths of shearwaters. *The Auk*, 118(3), 755-759 Congdon, B.C. et al 2005. Dual foraging and co-ordinated provisioning in a tropical *Procellariiform*, the wedge-tailed shearwater. *MEPS* 310, 293-301.
- Burkholder, D.A. et al 2013. Patterns of top-down control in a seagrass ecosystem: could a roving apex predator induce a behaviour-mediated trophic cascade? *Journal of animal ecology*, 82, 1192-1202 Thomson, J.A. et al 2012 Site specialists, diet generalists. Isotopic variation, site fidelity, and foraging by loggerhead turtles in shark Bay, Western Australia. *MEPS*, 453, 213-226
- Compton, T.J. et al 2008. Carbon isotope signatures reveal that diet is related to the relative sizes of the gills and palps in bivalves JEMBE 361, 104-110 Morton, B. and Britton, J.C. 2003. The Behaviour and feeding ecology of a suite of gastropod scavengers at Watering Cove, Burrup Peninsula, WA
- Doroudi, M.S. et al 2003. Variation in clearance and ingestion rates by larvae of the black-lip pearl oyster (*Pinctada margaritifera*). *Aquaculture Nutrition* 9: 11-16

Dept of Environment and Conservation (DEC). 2009. Management Plan for the Commercial harvest and farming of crocodiles in WA 2009-2013. Department of Environment and Conservation. Western Australia.

Department of the Environment and Heritage (DEH). 2011. Humpback Whale Recovery Plan 2005-2010. Australian Government. Australia.

Estrella, S.M. et al 2011. Potential effects of *Ligbya majuscula* blooms on benthic invertebrate diversity and shorebird foraging ecology at Roebuck Bay, Western Australia: preliminary results. Journal of the Royal Society of Western Australia, 94, 171-179

FishBase. 2006. 'FishBase: A Global System Information on Fishes'. Available at [ww.fishbase.org](http://www.fishbase.org) [accessed 15 September 2014].

Folkens, P., R. Reeves. 2002. Guide to Marine Mammals of the World. New York, New York: Alfred A. Knopf, Inc.

Fromont, J. 2004. Porifera (sponges) of the Dampier Archipelago, Western Australia: habitats and distributions. Records of the Western Australian Museum Supplement 66: 69-100.

Fry, G., A. Heyward, S. Cheers, A. Chetwynd, I. McLeod, R. Pendrey, R. Pitcher, G. Smith, D. Thomson, T. Van der Velde, M. Vanderklift, K. Cook, K. Brookes, S. Woodley, O. Hunt, P. Speare. 2008. Benthic habitat surveys of potential LNG hub locations in the Kimberley region. Final Report. A joint CSIRO and AIMS Report for the Western Australia Marine Science Institution. Australia.

Fulton, E., Gray, R., Sporcic, M., Scott, R., Little, R., Hepburn, M., Gorton, B., Hatfield, B., Fuller, M., Jones, T., F., Chapman, K., Dzidic, P., Syme, G., Dambacher, J. & McDonald, De la Mare, W., Boschetti, F. 2011. Ningaloo Collaboration Cluster Final Report No. 5.3. Wealth from Oceans. CSIRO. Australia.

Gehrke, P. C. 2007. A comparative analysis of Coastal fishery food webs in the Great Barrier Reef region. Water for a Healthy Country. National Research flagship. CSIRO. Australia.

Graham, W.M. and Kroutil, R.M. Size based selectivity and dietary shifts in the jellyfish, *Aurelia aurita*. Journal of Plankton Research 23, 67-74 Brewer, R.H. 1989 The annual pattern of feeding, growth, and sexual reproduction in *Cyanea* (Cnidaria: Scyphozoa) in the Niantic River Estuary, Connecticut. Biol. Bull. 176, 272-281 Underwood, A.J. and Seymour, J.E. 2007. Venom ontogeny, diet and morphology in *Carukia barnesi*, a species of Australian box jellyfish that causes Irukandji syndrome. Toxicon 49 1073-1082.

Gribble, N.A. 2003. GBR-prawn: modelling ecosystem impacts of changes in fisheries management of the commercial prawn (shrimp) trawl fishery in the far northern Great Barrier Reef. Fisheries Research 65: 493-506.

Ibrahim, S et al 2003. Stomach content of six commercially important demersal fishes in the South China Sea. Turkish Journal of Fisheries and Aquatic Sciences 3, 11-16

Holley, d. and R.I. Prince. 2008. Historical datasets of dugong (*Dugong dugon*) observations in the Kimberley region of Western Australia. Data Report No. 2008-03. Centre for Marine Ecosystem Research, Edith cowan University. Western Australia. Australia.

Holyoake, c., N. Stephens and D. Coughran. 2011. Collection of baseline data on humpback whale (*Megaptera novaeangliae*) health and causes of mortality for long term monitoring in Western Australia. Report Deaprtment of Caonservation and Environment. Australia.

- Jefferson, T. 2000. Wildlife Monographs. Population Biology of the Indo-Pacific Hump-Backed Dolphin in Hong Kong Waters, 144: 1-65.
- Jefferson, T., L. Karczmarski. 2001. Mammalian Species. *Sousa chinensis*, 655: 1-9.
- Keesing, J., T R Irvine, P Alderslade, G Clapin, J Fromont, A M. Hosie, J M Huisman, J C Phillips, K M Naughton, L M Marsh, S M Slack-Smith, D P Thomson & J E Watson. 2011. Marine benthic flora and fauna of Gourdon Bay and the Dampier Peninsula in the Kimberley region of north-western Australia.
- Krutzén, M. et al 2014. Cultural transmission of tool use by Indo-Pacific bottlenose dolphins (*Tursiops* sp) provides access to a novel foraging niche Proceedings of the Royal Society B Biological Sciences, 281 Dunshea, G. 2009. DNA-based diet analysis for any predator. PLOSOne 4(4) •DOI: 10.1371/journal.pone.0005252 Dunshea, G. et al 2013. Stranded dolphin stomach contents represent the free-ranging population's diet. Biology Letters 9.
- Lek, E. et al 2011 To what extent are the dietary compositions of three abundant, co-occurring labrid species different and related to latitude, habitat, body size and season? Journal of Fish Biology 78, 1913-1943.
- McNamara, K.J., Wyre, G.J., and Crocodile Specialist, G. (1994). 'The conservation, management and farming of crocodiles in Western Australia.'
- Newman, S.T., C. G. Young, I.C. Potter. 2003. Characterisation of the inshore fish assemblages of the Pilbara and Kimberley coasts. FRDC Project No. 2000/132. Department of Fisheries WA Marine Research Laboratories, North Beach WA, Australia.
- Pine, W. and J. Kwak. 2007. Modelling management scenarios and the effect of an introduced apex predator on a costal rivarine fish community. Transactions of the American Fisheries Society 136: 105-120.
- Rainer, S.F. 2010. Diet of prawns from the continental slope of North-Western Australia. Bulletin of Marine Science, 50(2), 258-274
- Shirihai, H., B. Jarrett, G. Kirwan. 2006. Whales, dolphins, and other marine mammals of the world. Princeton, N.J: Princeton University Press.
- SPRAT database available at <http://www.environment.gov.au/cgi-bin/sprat/public/srat.pl>
- Taylor, I.R. and Schultz, M.C. 2008 Breeding season diets of egrets in Southeast Australia: implications for future population viability. Waterbirds, 31(4), 593-601.
- Thornburn, D.C. 2006. Biology, ecology and trophic interactions of elasmobranchs and other fishes in riverine waters of northern Australia. PhD thesis. Murdoch University. Australia.
- Wang, X.j., M. Behrenfeld, R. Le Borgne, R. Murrugudde and E. Boss. 2009. Regulation of phytoplankton carbon to chlorophyll ratio by light, nutrients, and temperature in the Equatorial Pacific Ocean: A basin-scale model. biogeosciences 6: 391-404
- Van Parijs, S., J. Smith, P. Corkeron. 2002. Journal of Applied Ecology. Using Calls to Estimate the Abundance of Inshore Dolphins: A Case Study with Pacific Humpback Dolphins *Sousa chinensis*, 39/5: 853-864.
- Whitty, J.M. 2011. Utility of a multi-faceted approach in determining the habitat use of endangered euryhaline elasmobranchs in a remote region of northern Australia.

Wirsing, A.J. and Heithaus, M.R. 2009. Olive headed sea snakes *Distinctia major* shift seagrass microhabitats to avoid shark predation. *Marine Ecology Progress Series* 387, 287-293 Heatwole, H.F. et al 1978. Underwater observations on sea snake behaviour. *Records of the Australian Museum* 31(18), 737-761 Goiran, C. et al 2013. Effects of season, sex and body size on the feeding ecology of turtle-headed sea snakes (*Emydocephalus annulatus*) on IndoPacific inshore coral reefs. *Coral Reefs* 32, 527-538